

VOLUME AUTHOR INDEX

A

Agnusdei D, 393
 Ahn YS, 346
 Allen DG, 153
 Allen J, 523
 Alpert NR, 692
 Aschenbrenner V, 824

B

Bagchi N, 621
 Ballou EW, 446
 Balschi JA, 871
 Banerjee SK, 621
 Barrio JR, 505
 Barry WH, 495
 Barzilai B, 459
 Berenger FP, 612
 Berkoff HA, 586
 Bernath GA, 72, 845
 Bertier-Savalle B, 327
 Bevan JA, 309
 Bhatnagar GM, 238
 Bing OHL, 815
 Bittl JA, 871
 Boerboom LE, 845
 Bohlen HG, 861
 Boom HBK, 727
 Brayden JE, 309
 Brigham KL, 923
 Brown AM, 523
 Brown JH, 465
 Brown OM, 465
 Brown TR, 621
 Brunton LL, 720
 Buchanan LV, 290
 Bumpus FM, 640
 Bunting S, 290
 Byrns RE, 82

C

Caffrey, JL, 133
 Cannon JR, 923
 Cano J-P, 612
 Canty JM Jr, 273
 Capdevila J, 50
 Carter LS, 649
 Cattaneo EA, 367
 Chaikhouni A, 952
 Chandran KB, 674
 Chiu YC, 446
 Chu A, 60
 Cingolani HE, 367
 Clarke RH, 429
 Cobb FR, 60
 Cogswell TL, 72, 845
 Cole PA, 551
 Coleman RE, 60
 Coleridge HM, 337

Coleridge JCG, 337
 Collins SM, 674
 Condorelli M, 747
 Cooper CL, 914
 Cragoe EJ Jr, 185
 Cuocolo A, 747

D

Damon DH, 1
 Daugherty A, 551
 Davis JW, 850
 Decker RS, 933
 Delmar M, 780
 DeSilva P, 640
 Dillon PF, 472
 Dobson JG Jr, 177
 Dolber PC, 206
 Donaldson RF, 429
 Dorn GW II, 952
 Downey HF, 133
 Dresdner KP, 122
 Dubin D, 595
 Duling BR, 1
 Dzau VJ, 422, 595

E

Effron MB, 238
 Effros RM, 708
 Egashira K, 113
 Ellingsen O, 540
 Engelmann GL, 487
 Everts M, 142

F

Falck JR, 50
 Fallon JT, 879
 Fanburg BL, 653
 Fantone JC, 666
 Fehr KL, 861
 Fenton RA, 177
 Fernandez LF, 346
 Fike CD, 297
 Fischer S, 194
 Fischer JA, 393
 Fisher MJ, 472
 Flaim SL, 31
 Forbes G, 27
 Ford LE, 446
 Franco-Cereceda A, 393
 Freeman RH, 304
 Futaki S, 797

G

Gaasch WH, 815
 Gallagher KP, 666

Garan H, 879
 Gaugl JF, 133
 Gennari C, 393
 Gerber JG, 534
 Gerrity RG, 487
 Gleason MM, 31
 Glower DD, 850
 Goknur AB, 586
 Gonzalez D, 595
 Goto Y, 797
 Grant AO, 897
 Greenfield RA, 283
 Green R, 923
 Guth BD, 738

H

Halushka PV, 952
 Hamilton S, 265
 Hammond HK, 720
 Hansen TN, 297
 Harder DR, 102, 831
 Harper SL, 229
 Harrington WJ, 346
 Harris TR, 923
 Hashimoto T, 356
 Haworth RA, 586
 Hayashi A, 265
 Haynes DH, 346
 Hearse DJ, 375
 Hegge JO, 586
 Heidlage JF, 206
 Henrich M, 659
 Heusch G, 738
 Hill ML, 478
 Hiraoka M, 14
 Hirata M, 356
 Hoffman RG, 72
 Hoffmeister HM, 850
 Hollenberg NK, 398
 Holzgreffe HH, 290
 Hori M, 631
 Hukkanen J, 708
 Hunter DR, 586
 Hunter WC, 756, 770
 Husain A, 640
 Huxley VH, 304

I

Ignarro LJ, 82
 Ilebekk A, 540
 Ingwall JS, 871
 Inoue H, 942
 Inoue M, 631
 Insel PA, 108
 Isner JM, 429
 Itoh T, 402
 Iwakura K, 631
 Iwai K, 631
 Izumo S, 804

VOLUME AUTHOR INDEX

A

Agnusdei D, 393
 Ahn YS, 346
 Allen DG, 153
 Allen J, 523
 Alpert NR, 692
 Aschenbrenner V, 824

B

Bagchi N, 621
 Ballou EW, 446
 Balschi JA, 871
 Banerjee SK, 621
 Barrio JR, 505
 Barry WH, 495
 Barzilai B, 459
 Berenger FP, 612
 Berkoff HA, 586
 Bernath GA, 72, 845
 Bertier-Savalle B, 327
 Bevan JA, 309
 Bhatnagar GM, 238
 Bing OHL, 815
 Bittl JA, 871
 Boerboom LE, 845
 Bohlen HG, 861
 Boom HBK, 727
 Brayden JE, 309
 Brigham KL, 923
 Brown AM, 523
 Brown JH, 465
 Brown OM, 465
 Brown TR, 621
 Brunton LL, 720
 Buchanan LV, 290
 Bumpus FM, 640
 Bunting S, 290
 Byrns RE, 82

C

Caffrey, JL, 133
 Cannon JR, 923
 Cano J-P, 612
 Canty JM Jr, 273
 Capdevila J, 50
 Carter LS, 649
 Cattaneo EA, 367
 Chaikhouni A, 952
 Chandran KB, 674
 Chiu YC, 446
 Chu A, 60
 Cingolani HE, 367
 Clarke RH, 429
 Cobb FR, 60
 Cogswell TL, 72, 845
 Cole PA, 551
 Coleman RE, 60
 Coleridge HM, 337

Coleridge JCG, 337
 Collins SM, 674
 Condorelli M, 747
 Cooper CL, 914
 Cragoe EJ Jr, 185
 Cuocolo A, 747

D

Damon DH, 1
 Daugherty A, 551
 Davis JW, 850
 Decker RS, 933
 Delmar M, 780
 DeSilva P, 640
 Dillon PF, 472
 Dobson JG Jr, 177
 Dolber PC, 206
 Donaldson RF, 429
 Dorn GW II, 952
 Downey HF, 133
 Dresdner KP, 122
 Dubin D, 595
 Duling BR, 1
 Dzau VJ, 422, 595

E

Effron MB, 238
 Effros RM, 708
 Egashira K, 113
 Ellingsen O, 540
 Engelmann GL, 487
 Everts M, 142

F

Falck JR, 50
 Fallon JT, 879
 Fanburg BL, 653
 Fantone JC, 666
 Fehr KL, 861
 Fenton RA, 177
 Fernandez LF, 346
 Fike CD, 297
 Fischer S, 194
 Fischer JA, 393
 Fisher MJ, 472
 Flaim SL, 31
 Forbes G, 27
 Ford LE, 446
 Franco-Cereceda A, 393
 Freeman RH, 304
 Futaki S, 797

G

Gaasch WH, 815
 Gallagher KP, 666

Garan H, 879
 Gaugl JF, 133
 Gennari C, 393
 Gerber JG, 534
 Gerrity RG, 487
 Gleason MM, 31
 Glower DD, 850
 Goknur AB, 586
 Gonzalez D, 595
 Goto Y, 797
 Grant AO, 897
 Greenfield RA, 283
 Green R, 923
 Guth BD, 738

H

Halushka PV, 952
 Hamilton S, 265
 Hammond HK, 720
 Hansen TN, 297
 Harder DR, 102, 831
 Harper SL, 229
 Harrington WJ, 346
 Harris TR, 923
 Hashimoto T, 356
 Haworth RA, 586
 Hayashi A, 265
 Haynes DH, 346
 Hearse DJ, 375
 Hegge JO, 586
 Heidlage JF, 206
 Henrich M, 659
 Heusch G, 738
 Hill ML, 478
 Hiraoka M, 14
 Hirata M, 356
 Hoffman RG, 72
 Hoffmeister HM, 850
 Hollenberg NK, 398
 Holzgreffe HH, 290
 Hori M, 631
 Hukkanen J, 708
 Hunter DR, 586
 Hunter WC, 756, 770
 Husain A, 640
 Huxley VH, 304

I

Ignarro LJ, 82
 Ilebekk A, 540
 Ingwall JS, 871
 Inoue H, 942
 Inoue M, 631
 Insel PA, 108
 Isner JM, 429
 Itoh T, 402
 Iwakura K, 631
 Iwai K, 631
 Izumo S, 804

J

Jalife J, 780
 Jayakody L, 251
 Jennings RB, 478
 Johnson EA, 206
 Johnson T, 780
 Johnston MG, 265
 Jones G II, 429
 Joyner RW, 93, 580
 Jy W, 346

K

Kabas JS, 850
 Kaempfer C, 595
 Kagiya T, 631
 Kamade T, 631
 Kanaida H, 837
 Kanmura Y, 402
 Kappagoda T, 251
 Katzung BG, 560
 Kawano S, 14
 Kawasaki T, 113
 Keen RE, 505
 Kerber RE, 674
 Kieso R, 674
 Kifor I, 422
 Kilo C, 551
 Kim D, 185
 Kirby ML, 27
 Kitabatake A, 631
 Kitakaze M, 631
 Kline RP, 122
 Klocke FJ, 273
 Klopfenstein HS, 72, 845
 Kobayashi T, 113
 Kodiyalam S, 674
 Kootsey JM, 206
 Korecky B, 824
 Koretsune Y, 631
 Kotecha N, 791
 Krivokapich J, 505
 Kroll K, 659
 Kumar A, 786
 Kunapuli SP, 786
 Kuriyama H, 356, 402
 Kurz T, 194

L

Lakatta EG, 238
 LaRochelle J, 626
 Larson KB, 551
 Lee RT, 683
 Lee S-L, 653
 Lee TJ-F, 220
 Leraand S, 540
 Lesch M, 933
 Leusen I, 517
 Levy L, 700
 Lindstrom DP, 923
 Litten RZ, 692
 London RE, 700
 Longhurst JC, 720
 Low RB, 692
 Lucchesi BR, 666
 Lundberg JM, 393

M

Mack CA, 861
 Madden JA, 831

Magid NM, 933
 Mahdavi V, 804
 Mais D, 952
 Maisel AS, 108
 Malecot CO, 560
 Malik KU, 914
 Manalan AS, 602
 Marotte F, 327
 Marsh JD, 683
 Mason GR, 708
 Mates RE, 273
 Mathias M, 534
 Mattiazzi A, 367
 McGrattan PA, 465
 McHale NG, 265
 McPherson DD, 674
 Meininger GA, 861
 Mele AF, 747
 Michaels DC, 780
 Mickelson J, 666
 Miller JG, 459
 Morris KG, 60
 Motulsky HJ, 108
 Mueller RA, 649
 Murphree SS, 568
 Murphy E, 700
 Murphy RA, 410, 438

N

Nadal-Ginard B, 804
 Nagai R, 692
 Nakamura M, 113, 837
 Nami R, 393
 Neild TO, 791
 Nelson GH, 169
 Nelson W, 265
 Nies AS, 534
 Nishimura J, 837
 Noel MP, 674
 Norfleet EA, 649
 Nozawa T, 797

O

Odori T, 398
 Orchard CH, 153

P

Parmacek S, 933
 Payne FB, 649
 Pernow J, 393
 Petree L, 674
 Phelps ME, 505
 Phillips MT, 27
 Piper HM, 659
 Pisarri TE, 337
 Poggesi C, 142
 Polla B, 142
 Povlishock JT, 169
 Pritzl N, 692
 Proctor KG, 50

R

Rankin JS, 850
 Rappaport L, 327
 Rasmussen CAF Jr, 495
 Ratz PH, 31, 410
 Rawling DA, 580

Reggiani C, 142
 Richardt G, 194
 Rinaldi GJ, 367
 Roberts KB, 60
 Robinson KG, 815
 Rojas J, 923
 Rolland PH, 612
 Rosenblum WI, 169
 Rosenthal S, 879
 Ross J Jr, 738
 Ruano-Arroyo G, 238
 Ruskin JN, 879

S

Saffitz JE, 459, 568
 Sagawa K, 756, 770
 Saito A, 220
 Saltzman LS, 649
 Samarel AM, 933
 Samuel JL, 327
 Schaper J, 850
 Schaper W, 850
 Scherf H, 534
 Schneider DS, 621
 Schneider RM, 60
 Schömig A, 194
 Schömig E, 194
 Schrader J, 659
 Schultz HD, 337
 Schwartz K, 824
 Schwertschlag U, 534
 Seidel CL, 523, 626
 Seitelberger R, 738
 Sejersted OM, 540
 Senaratne M, 251
 Sens D, 952
 Shanbaky N, 346
 Shibata T, 756, 770
 Shine KI, 505
 Sietsema K, 708
 Silverman P, 708
 Simpson PJ, 666
 Singer HA, 438
 Skorton DJ, 674
 Smith TW, 185, 683
 Sobel BE, 459
 Spach MS, 206
 Speth RC, 640
 Spratt JA, 850
 Spurgeon HA, 238
 Starmer CF, 897
 Steenberg C, 478, 700
 Stein LA, 39
 Stirewalt WS, 692
 Suga H, 797
 Sumimoto K, 356
 Sundell HK, 923
 Sutera SP, 551
 Sutko JL, 495
 Swain JL, 283

T

Tamai J, 631
 Tan RC, 93
 Tanaka N, 797
 Tanzi F, 142
 Thomson A, 251
 Tilton RG, 551
 Tomoike H, 113

Tormey JMcD, 246
Tosaki A, 375
Trimarco B, 747
Tucker VL, 304

U

Ueno H, 356

V

Vaartjes SR, 727
Van de Voorde J, 517
Vanderstichele H, 517
Vecchione F, 747
Vecnstra RD, 93
Verburg KN, 304

Vitulo JC, 487
Volpe M, 747

W

Watanabe N, 133
Watkins SC, 327
Weisberg A, 384
Werth DK, 602
Wheeler-Clark ES, 246
White FC, 720
White MP, 39
Wiedmann RT, 93
Wiegner AW, 815
Williamson JR, 551
Winegrad S, 384
Wintroub BU, 595

Wit AL, 122
Wood KS, 82

Y

Yamamoto Y, 113
Yang A, 756
Yasumura Y, 797
Yatani A, 523
Yonekura S, 133
Young M-L, 93

Z

Zak R, 692, 824
Zile MR, 815
Zions JD, 551
Zipes DP, 845, 942

VOLUME SUBJECT INDEX

A

Acetylcholine

- Effects of procaine on pharmaco-mechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356
- Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251
- Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169
- Nonadrenergic neural vasodilator mechanisms, 309
- Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465
- Release of endothelium-derived relaxing factor from human umbilical vessels, 517
- Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31
- Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Acidosis

- Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Actin

- Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Action potential plateaus

- Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14

Action potential propagation

- Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580

Action potential shape

- Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Action potentials

- Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Activation pattern

- Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Actomyosin

- Biochemical kinetics of porcine cardiac subfragment-1, 39

Adenine nucleotide

- Disruption of myofibrillar energy use: Dual mechanisms that may contribute to postischemic dysfunction in stunned myocardium, 283
- Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649

Adenosine assay

- Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Adenosine receptors

- Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Adenosine release

- α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

Adenosine triphosphate

- Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Adenylate cyclase

- Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Adenylate cyclase activation

- Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Adrenal gland

- Regulation of angiotensin II in rat adrenal gland, 640

Adrenal glomerulosa

- Regulation of angiotensin II in rat adrenal gland, 640

 α -Adrenergic activity

- α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

 α -Adrenoceptors

- Characteristics of adrenoceptors and $[^3\text{H}]$ nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

 β -Adrenoceptors

- Characteristics of adrenoceptors and $[^3\text{H}]$ nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Adrenergic blockade

- Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

 β -Adrenergic blockade

- Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Adrenergic control

- Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Adrenergic receptors

- Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

 β -Adrenergic receptors

- Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720
- Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108
- Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Adrenergic sensitivity

- Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Adventitial electrical stimulation

- Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Age-related myocyte size changes

- Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487

Aggregating platelets

- Antithrombogenic endothelial cell defense: Basal characteristics in cultured endothelial cells and modulation by short-term and long-term exposure to isosorbide nitrates, 612

Aging

- Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Airways: arterial baroreceptors, blood pressure, reflex control

- Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Alanine

Effects of anoxia on kinetics of [^{13}N] glutamate and $^{13}\text{NH}_3$ metabolism in rabbit myocardium, 505

Albumin permeation

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Albumin transport

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Alternative transmitter

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Alveolar hypoxia

Hypoxic vasoconstriction increases with postnatal age in lungs from newborn rabbits, 297

Ameroid constrictor

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Amino acid metabolism

Effects of anoxia on kinetics of [^{13}N] glutamate and $^{13}\text{NH}_3$ metabolism in rabbit myocardium, 505

4-Aminopyridine

Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14

Amiodarone

Effect of amiodarone on rat heart myosin isoenzymes, 621

Analysis of sample counting

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

Angioplasty

Gas chromatographic-light microscopic correlative analysis of excimer laser photoablation of cardiovascular tissues: Evidence for a thermal mechanism, 429

Angiotensin

Endothelial renin-angiotensin pathway: Evidence for intracellular synthesis and secretion of angiotensins, 422

Angiotensin II

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914
Human neutrophils release serine proteases capable of activating prorenin, 595

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Regulation of angiotensin II in rat adrenal gland, 640

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Angiotensin II receptors

Regulation of angiotensin II in rat adrenal gland, 640

Angiotensinogen

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Anisotropy

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Anisotropic drug effects

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Anisotropic propagation model

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Anoxia

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Effects of anoxia on kinetics of [^{13}N] glutamate and $^{13}\text{NH}_3$ metabolism in rabbit myocardium, 505

Anoxia-induced noradrenaline release

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Ansae subclaviae stimulation

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Antihypertensive therapy

Antihypertensive drug therapy prevents cerebral microvascular abnormalities in hypertensive rats, 229

Antiplatelet activity

Antithrombogenic endothelial cell defense: Basal characteristics in cultured endothelial cells and modulation by short-term and long-term exposure to isosorbide nitrates, 612

Antithrombogenic endothelial cell defense

Antithrombogenic endothelial cell defense: Basal characteristics in cultured endothelial cells and modulation by short-term and long-term exposure to isosorbide nitrates, 612

Arachidonic acid

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Arachidonic acid metabolism

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Arrhythmias, free radical and reperfusion-induced

Free radicals and reperfusion-induced arrhythmias: Protection by spin trap agent PBN in the rat heart, 375

Arterial baroreceptors

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Arterial baroreceptors and airways

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Arterial thrombosis

Abnormal calcium handling by platelets in thrombotic disorders, 346

Arterioles

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Assays, angiotensin, angiotensinogen, and renin

Endothelial renin-angiotensin pathway: Evidence for intracellular synthesis and secretion of angiotensins, 422

Atenolol

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Atherosclerosis

Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251

Quantitative ultrasonic characterization of the nature of atherosclerotic plaques in human aorta, 459

Atherosclerotic coronary artery disease

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

ATP depletion

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

ATPase

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

ATPase kinetics

Biochemical kinetics of porcine cardiac subfragment-1, 39

Atrial natriuretic factor

Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 304

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Atrial pacing

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Atrial trabecula

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Atrioventricular nodal conduction

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Auriculin A

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Autonomic control

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Autonomic interactions

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Autoregulation

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

B**Balloon denudation**

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Barium contracture

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

Barium transport

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Batrachotoxin

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Bay K 8644

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 683

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Bilateral carotid occlusion

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Binding capacities

Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Biochemical basis of the contractile state

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Biochemical kinetics

Biochemical kinetics of porcine cardiac subfragment-1, 39

Blood flow

An examination of the measurement of flow heterogeneity in striated muscle, 1

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Blood flow measurements

Effects of anoxia on kinetics of [^{15}N] glutamate and [^{15}N] metabolism in rabbit myocardium, 505

Blood pressure

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Blood pressure influence on airways

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Bovine pulmonary artery and vein

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Bradycardic effect

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Bradycardic reflex responses

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Bradykinin

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Brain arterioles

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

C**Caffeine**

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Caffeine effects

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Ca-H interaction

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Calcineurin

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

Calcitonin gene-related peptides

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

Calcium

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560

Calcium channel

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 683

Calcium channel blockers

Characteristics of adrenoceptors and [^3H] nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Calcium channel currents

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

 ^{45}Ca efflux

Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced ^{45}Ca efflux, 952

Calcium entry blockers

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Calcium flux

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Calcium fluxes

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Calcium-independent relaxation

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Calcium influx

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Calcium influx mechanism

Myocardial contractile function during ischemia and hypoxia, 153

Calcium ionophore

Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced ^{45}Ca efflux, 952

Calcium mobilization

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Calcium overload

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Calcium pools and contractile agonists

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Calcium release

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Calcium uptake

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Calcium uptake and release

Abnormal calcium handling by platelets in thrombotic disorders, 346

Calmodulin

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

Calmodulin-stimulated protein phosphatase

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

 Ca^{2+} -myosin ATPase activity

Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Capillary

An examination of the measurement of flow heterogeneity in striated muscle, 1

Capillary density

Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487

Capillary water movement

Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 304

Captopril

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Carbachol-induced contractions

Phenylphosphonate: A ^{31}P -NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

Cardiac activation

Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580

Cardiac and skeletal muscle development

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Cardiac electrophysiology

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

Cardiac energetics

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Cardiac failure

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Cardiac glycosides

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Cardiac hypertrophy

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

Cardiac mechanics

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Cardiac muscle

Myocardial contractile function during ischemia and hypoxia, 153

Cardiac muscle contraction

Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Cardiac myosin

Biochemical kinetics of porcine cardiac subfragment-1, 39

Cardiac output

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Cardiac protein turnover

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Cardiac Purkinje fiber

Intracellular K^{+} activity, intracellular Na^{+} activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Cardiac relaxation

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Cardiac S-1 kinetics

Biochemical kinetics of porcine cardiac subfragment-1, 39

Cardiac tamponade

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Carotid sinus reflexes

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Catecholamine

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Cathepsin G

Human neutrophils release serine proteases capable of activating prorenin, 595

Cell sodium content

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Cellular calcium overload

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Centripetal spread

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Cerebral artery

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Cerebral blood flow autoregulation

Antihypertensive drug therapy prevents cerebral microvascular abnormalities in hypertensive rats, 229

Cerebral microcirculation

Antihypertensive drug therapy prevents cerebral microvascular abnormalities in hypertensive rats, 229

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Channel bursting mode

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Channel kinetics

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Chemically skinned muscle

Mechanisms of vasoconstriction induced by 9, 11-epithio-11,12-methano-thromboxane A_2 in the rabbit coronary artery, 402

Chloroacetaldehyde

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Chlorotetracycline

Abnormal calcium handling by platelets in thrombotic disorders, 346

Cholinergic vasodilation

Nonadrenergic neural vasodilator mechanisms, 309

Chronotropic action

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

Closed-loop gain

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Collateral arterial growth

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Conductance

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Conduction block

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Conduction impairment

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Conduction velocity

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Contractile cycle

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Contractile dysfunction

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Contractile failure

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Contractile force

Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791

Contractility

Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824

Contraction

Myocardial contractile function during ischemia and hypoxia, 153

Contractured muscle

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

Coronary

Free radicals and reperfusion-induced arrhythmias: Protection by spin trap agent PBN in the rat heart, 375

Coronary and artery blood flow

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Coronary artery, porcine

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Coronary artery spasm

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Coronary blood flow

In vivo characterization of synthetic thromboxane A_2 in canine myocardium, 290

Coronary capacitance

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Coronary circulation

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Coronary flow

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Coronary microembolization

α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

Coronary occlusion

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Coronary receptors

Characteristics of adrenoceptors and $[\text{H}]$ nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Creatine kinase

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Disruption of myofibrillar energy use: Dual mechanisms that may contribute to postischemic dysfunction in stunned myocardium, 283

Creep

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Cremaster microcirculation

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Cross-bridge formation

Myocardial contractile function during ischemia and hypoxia, 153

Cross-bridge movement

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Cross-circulated canine heart preparation

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Cross-linked actoS-1

Biochemical kinetics of porcine cardiac subfragment-1, 39

Cultured chick heart cells

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Cultured heart cells

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 683

Cultured vascular smooth muscle cells

Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced ^{45}Ca efflux, 952

Cyanide intoxication

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Cyclic AMP

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Cyclic GMP

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Cyclooxygenase inhibitors

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Cytochrome P450 monooxygenase

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic

acid metabolites produced by a cytochrome P450 monooxygenase, 50

Cytoskeleton

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

Cytosolic esterases

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

D

Damaged ends

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

Deactivation rate

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Deep vein thrombosis

Abnormal calcium handling by platelets in thrombotic disorders, 346

Dense tubule

Abnormal calcium handling by platelets in thrombotic disorders, 346

Dephosphorylation kinetics

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

Desipramine

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Desmin filaments

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Diastolic interval excitations

Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14

Diastolic properties

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Dihydropyridine

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 683
Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

cDNA

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Dobutamine

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Dopamine

Nonadrenergic neural vasodilator mechanisms, 309
Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

DOPEG release

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Doppler flow probe

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Dynamic stiffness

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756
Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

E

Echocardiography

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Effective membrane capacitance

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Ejection fraction

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Ejection shortening

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Elastance model

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Elastic modulus

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Elasticity calculations

Maximal rates of activation in electrically stimulated swine carotid media, 438

Electrical uncoupling

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Electron microscopy

Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Electron probe x-ray analysis

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Electrophysiology

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infaracts, 122

Maximal rates of activation in electrically stimulated swine carotid media, 438

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Endocardial and epicardial mapping

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Endocardial to epicardial blood flow ratio

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Endothelial

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

Endothelial adenine nucleotides

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Endothelial cell

Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 204

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Endothelial cell cultures

Endothelial renin-angiotensin pathway: Evidence for intracellular synthesis and secretion of angiotensins, 422

Endothelial cell-derived growth factor

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Endothelial cell labelling

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Endothelial cellular replication

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

Endothelial injury

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Endothelial permeability

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Endothelium

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Endothelium-dependent relaxation

Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Endothelium-dependent relaxing factor

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Endothelium-dependent vasodilation

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Endothelium-derived adenosine

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Endothelium-derived relaxing factor

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Enkephalins

Nonadrenergic neural vasodilator mechanisms, 309

Enzyme assays

Human neutrophils release serine proteases capable of activating prorenin, 595

Epithelial transport of Na⁺

Fluid reabsorption and glucose consumption in edematous rat lungs, 708

Epithio-methano-thromboxane A₂

Mechanisms of vasoconstriction induced by 9, 11-epithio-11,12-methano-thromboxane A₂ in the rabbit coronary artery, 402

Epoxyeicosatrienoic acids

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Equilibrium binding studies

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 185

Ethenoadenosine

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Ethylisopropylamiloride

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Euvolemic canine model

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Excitation-contraction coupling

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Excitation-contraction coupling kinetics

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

Exercise bradycardia

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Exercise-induced ischemia

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Exercise training

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Eximer laser irradiation

Gas chromatographic-light microscopic correlative analysis of eximer laser photoablation of cardiovascular tissues: Evidence for a thermal mechanism, 429

External detection

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Externalization of β -receptors

Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108

Extracellular pH

Phenylphosphonate: A ^{31}P -NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

Extracellular volume

Phenylphosphonate: A ^{31}P -NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

F**Fasting**

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

5FBAPTA

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Femoral artery

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Ferret cardiac muscle

Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560

Finite element analysis

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Flow heterogeneity

An examination of the measurement of flow heterogeneity in striated muscle, 1

Fluid propulsion

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

Fluid reabsorption

Fluid reabsorption and glucose consumption in edematous rat lungs, 708

Fluorescence, chlorotetracycline, and quin2

Abnormal calcium handling by platelets in thrombotic disorders, 346

Fluorescence, quin2

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Fluorometric analysis of nucleoside derivatives

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

19F NMR

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Force-time integral

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Force-velocity curves

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Forskolin

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Free radical trapping

Free radicals and reperfusion-induced arrhythmias: Protection by spin trap agent PBN in the rat heart, 375

Frequency of minimum stiffness

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

G**Gas chromatographic analyses**

Gas chromatographic-light microscopic correlative analysis of excimer laser photoablation of cardiovascular tissues: Evidence for a thermal mechanism, 429

Genomic DNA sequence coding

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Global ventricular capture

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Glucose uptake

Fluid reabsorption and glucose consumption in edematous rat lungs, 708

Glutamate kinetics

Effects of anoxia on kinetics of [13 N] glutamate and [13 NH $_3$] metabolism in rabbit myocardium, 505

Glutaraldehyde infusion

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Glycolysis

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

H**Heart**

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Heart compartmentation

Myocardial contractile function during ischemia and hypoxia, 153

Heart development

Analysis of cranial neural crest distribution in the developing heart using quail-chick chimeras, 27

Heart rate

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Hematocrit

An examination of the measurement of flow heterogeneity in striated muscle, 1

Hemodynamic decompensation

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Hemodynamic load

Role of thyroid hormone in regulation of isomyosin composition, contractility and size of heterotopically isografted rat heart, 824

Hemodynamic measurements

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Hemodynamics

Contractile failure and high-energy phosphate turnover during hypoxia: 31 P-NMR surface coil studies in living rat, 871

In vivo characterization of synthetic thromboxane A_2 in canine myocardium, 290

Hemorrhage

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

Heptanol

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Heterotopically isografted heart

Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824

pHi

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

High energy turnover

Contractile failure and high-energy phosphate turnover during hypoxia: 31 P-NMR surface coil studies in living rat, 871

His Purkinje conduction

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Histamine

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Nonadrenergic neural vasodilator mechanisms, 309

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Histamine-induced coronary spasm

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Hofstee plots

Characteristics of adrenoceptors and [3 H] nifedipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

H $_1$ -receptors

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Hyaline membrane disease

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

Hydraulic conductivity

Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 304

5-Hydroxytryptamine

Nonadrenergic neural vasodilator mechanisms, 309

Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791

Hypercholesterolemia

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Hyperemic flow

α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

Hyperkalemia

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

Hypertension

Antihypertensive drug therapy prevents cerebral microvascular abnormalities in hypertensive rats, 229

Hyperthyroid state

Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Hyperthyroidism

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Hypothyroidism

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Hypoxia

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

Myocardial contractile function during ischemia and hypoxia, 153

Hypoxia/anoxia

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

I**ICI 118,551**

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Characteristics of adrenoceptors and $[^3\text{H}]$ nifedipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Iloprost

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Immunofluorescence

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Inactivation

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Indol

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Indomethacin

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Inflammation

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Inositol trisphosphate

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Mechanisms of vasoconstriction induced by 9, 11-epithio-11,12-methano-thromboxane A_2 in the rabbit coronary artery, 402

Inotropic action

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

Inotropic effect of ryanodine

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Integrated backscatter

Quantitative ultrasonic characterization of the nature of atherosclerotic plaques in human aorta, 459

Internal resistance

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Interpolated maximum power

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Interstitial adenosine levels

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Intracellular and extracellular potassium

Myocardial contractile function during ischemia and hypoxia, 153

Intracellular/extracellular metabolic interdependence

Phenylphosphonate: A ^{31}P -NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

Intracellular K^+ activity

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Intracellular Na^+ activity

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Intracellular sodium

Myocardial contractile function during ischemia and hypoxia, 153

Intramural activity

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Intrinsic contractile activity

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

Intrinsic heart rate

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Inulin permeability

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

 $[^{125}\text{I}]$ cyanopindolol

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Ion-selective electrode

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Ion-sensitive microelectrodes

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Ischemia

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Disruption of myofibrillar energy use: Dual mechanisms that may contribute to postischemic dysfunction in stunned myocardium, 283

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Free radicals and reperfusion-induced arrhythmias: Protection by spin trap agent PBN in the rat heart, 375

Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649

Myocardial contractile function during ischemia and hypoxia, 153
Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Ischemia, anterior vs. inferior

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Ischemia-reperfusion injury

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Ischemic myocardial contracture

Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649

Isolated muscle mechanics

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Isolated perfused lungs

Hypoxic vasoconstriction increases with postnatal age in lungs from newborn rabbits, 297

Isolated smooth muscle cell

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Isometric contractile function

Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Isometric force

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Isometric tension

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Isomyosins, selective synthesis

Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824

Isoproterenol

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Isosorbide nitrates

Antithrombogenic endothelial cell defense: Basal characteristics in cultured endothelial cells and modulation by short-term and long-term exposure to isosorbide nitrates, 612

Isotonic lengthening rate

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Isotonic shortening

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Isotope dilution assay

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

Isozymes

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

J**Junctional sarcoplasmic reticulum**

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

K**Kinetics, biochemical**

Biochemical kinetics of porcine cardiac subfragment-1, 39

Kinetics of closure

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

L**Lactate production**

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

Lactate, pyruvate, and oxygen consumption

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Laser

Gas chromatographic-light microscopic correlative analysis of excimer laser photoablation of cardiovascular tissues: Evidence for a thermal mechanism, 429

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Left ventricle

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Left ventricular wall thickness

Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487

Lethal injury

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Light microscopy

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Light vesicle membranes

Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108

Linear pressure-flow relations

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Local control of blood flow

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Local sympathetic reflex

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Luminal electrical stimulation

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Lung water

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

LV ejection fraction

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Lymph flow

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

Lymph pump

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

M**Macroscopic and microscopic kinetics**

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Mannitol transport

Fluid reabsorption and glucose consumption in edematous rat lungs, 708

Maximal upstroke velocity

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Maximum diastolic potential

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Maximum velocity

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Mechanical restitution

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Mechanisms

Nonadrenergic neural vasodilator mechanisms, 309

Membrane channel activation

Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791

Membrane depolarization

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Membrane potential

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Mesenteric lymphatics

Increased intrinsic pumping of intestinal lymphatics following hemorrhage in anesthetized sheep, 265

Metabolic acidosis

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

Metabolic blockade

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Metabolic regulation

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Metabolic vascular control

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Metabolism

Effects of anoxia on kinetics of [^{13}N] glutamate and $^{13}NH_3$ metabolism in rabbit myocardium, 505

Microcirculation

An examination of the measurement of flow heterogeneity in striated muscle, 1

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Microprobe analysis

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Microsphere

An examination of the measurement of flow heterogeneity in striated muscle, 1

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Microtubules

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Middle cerebral artery

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Modeling

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Monoamine oxidase

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Morphology

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Multiple indicator dilution method

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

Multiple P cell activation

Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580

Multiple tracer analysis

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

Muscarinic cholinergic receptors

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Muscle mechanics

Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824

Muscle tension

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Myeloperoxidase

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Myocardial blood flow

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Myocardial contractile properties

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Myocardial contractility

Contractile failure and high-energy phosphate turnover during hypoxia: ^{31}P -NMR surface coil studies in living rat, 871

Myocardial dysfunction

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Myocardial infarction

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Intracellular K^+ activity, intracellular Na^+ activity, and maximum diastolic potential of canine subendocardial Purkinje cells from one-day-old infarcts, 122

Myocardial ischemia

α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

Coronary artery hemodynamics in conscious dog during cardiac tamponade, 845

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

Effects of hypoxia, hyperkalemia, and metabolic acidosis on canine subendocardial action potential conduction, 93

In vivo characterization of synthetic thromboxane A_2 in canine myocardium, 290

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Myocardial oxygen consumption

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Myocardial perfusion

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Myocardial relaxation

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Myocardial reperfusion

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Myocardium

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Myocyte contractility

Increased ischemia-reperfusion injury to the heart associated with short-term, diet-induced hypercholesterolemia in rabbits, 551

Myofibrillar creatine kinase kinetics

Disruption of myofibrillar energy use: Dual mechanisms that may contribute to postischemic dysfunction in stunned myocardium, 283

Myofibrillar proteins

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Myofibrillogenesis

Microtubules and desmin filaments during onset of heart hypertrophy in rat: A double immunoelectron microscope study, 327

Myofilament contractile properties

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Myofilament overstretch

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Myogenic activation

Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102

Myogenic vascular control

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Myosin

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

Myosin heavy chain

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Myosin heavy chain genes

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

 β -Myosin heavy chain synthesis

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

Myosin isoenzymes

Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238

Effect of amiodarone on rat heart myosin isoenzymes, 621

Myosin isozymes

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

Myosin light chains

Maximal rates of activation in electrically stimulated swine carotid media, 438

Myosin phosphorylation

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Maximal rates of activation in electrically stimulated swine carotid media, 438

N**Na-Ca exchange**

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Net protein synthesis

Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824

Neural crest

Analysis of cranial neural crest distribution in the developing heart using quail-chick chimeras, 27

Neurogenic control

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Neurogenic vasoconstriction

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Neurotransmitter

Nonadrenergic neural vasodilator mechanisms, 309

Neutrophil infiltration

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Neutrophil prorenin-activating enzyme

Human neutrophils release serine proteases capable of activating prorenin, 595

Newborn cardiac muscle

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Newborn pulmonary circulation

Hypoxic vasoconstriction increases with postnatal age in lungs from newborn rabbits, 297

Nexal resistance

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Nifedipine

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Nitrendipine

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Nitrendipine receptors

Characteristics of adrenoceptors and [^3H] nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

NMR

Elevation in cytosolic free calcium concentration early in myocardial ischemia in perfused rat heart, 700

Nonadrenergic vasodilator

Nonadrenergic neural vasodilator mechanisms, 309

Nonexocytotic catecholamine release

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Noradrenaline release

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Norepinephrine

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Norepinephrine turnover

Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649

"Notched" upstrokes

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

N-tert-butyl- α -phenylnitron

Free radicals and reperfusion-induced arrhythmias: Protection by spin trap agent PBN in the rat heart, 375

Nucleotide sequence

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

O**Ouabain**

Fluid reabsorption and glucose consumption in edematous rat lungs, 708

Relations among sodium pump inhibition, Na-Ca and Na-H exchange activities, and Ca-H interaction in cultured chick heart cells, 185

Oxygen consumption

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Oxygen dependence of MAO

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Oxygen transport

An examination of the measurement of flow heterogeneity in striated muscle, 1

P**³¹P-nuclear magnetic resonance**

Phenylphosphonate: A ³¹P-NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

³¹P NMR surface coil studies

Contractile failure and high-energy phosphate turnover during hypoxia: ³¹P-NMR surface coil studies in living rat, 871

PGE₂ and 6-keto-PGF_{1 α} output

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Pafenolol

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Papillary muscle

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Parasympathetic control

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Patch clamp

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Perfusion heterogeneity

An examination of the measurement of flow heterogeneity in striated muscle, 1

Periarteriolar oxygen tension

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Pericardial effusion

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Persistent pulmonary hypertension

Hypoxic vasoconstriction increases with postnatal age in lungs from newborn rabbits, 297

Pharmacology

Nonadrenergic neural vasodilator mechanisms, 309

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Pharmacomechanical coupling

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Pharyngeal arches

Analysis of cranial neural crest distribution in the developing heart using quail-chick chimeras, 27

Phenoxybenzamine

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Phentolamine

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Phenylephrine

Contributions of intracellular and extracellular Ca²⁺ pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Phenylphosphonate

Phenylphosphonate: A ³¹P-NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

Phosphocreatine

Contractile failure and high-energy phosphate turnover during hypoxia: ³¹P-NMR surface coil studies in living rat, 871

Physiologically sequenced contractions

Mechanical determinants of maximum isotonic lengthening rate in rat left ventricular myocardium, 815

Pial vessels

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Pin marker method

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

Plasma leucine flux

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Plasma membrane

Contributions of intracellular and extracellular Ca²⁺ pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Plasma membrane disruption

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

Platelet activating factor

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Platelet aggregation

In vivo characterization of synthetic thromboxane A₂ in canine myocardium, 290

Platelet hyperactivation

Abnormal calcium handling by platelets in thrombotic disorders, 346

Platelet, CTC ratio

Abnormal calcium handling by platelets in thrombotic disorders, 346

Porcine coronary artery

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Positron emission tomography

Effects of anoxia on kinetics of [¹³N] glutamate and ¹³NH₃ metabolism in rabbit myocardium, 505

Postextrasystolic potentiation

Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446

Influence of thyroid state on mechanical restitution of rat myocardium, 142

Postischemic dysfunction

Disruption of myofibrillar energy use: Dual mechanisms that may

- contribute to postischemic dysfunction in stunned myocardium, 283
- Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850
- Postnatal hypoxic pulmonary vasoconstriction**
Hypoxic vasoconstriction increases with postnatal age in lungs from newborn rabbits, 297
- Postrest contraction**
Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560
- Potassium**
Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791
- Potassium uptake**
Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540
- Prazosin**
 α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631
Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465
Relation between membrane potential and contractile force in smooth muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791
- Prejunctional adrenergic receptor mechanism**
Parasympathetic effects on the in vivo rat heart can be regulated through an α_1 -adrenergic receptor, 465
- Pressure-flow relations**
Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273
Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133
- Pressure overload**
Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692
- Pressure-sensitive vasoconstriction**
Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861
- Pressure-volume diagram**
Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797
- Procaine**
Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356
- Programmed cardiac stimulation**
Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879
- Propagation**
Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780
- Propagation safety factor**
Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , $\tau_{f0.01}$, and the propagation safety factor, 206
- Propranolol**
Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72
Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108
- Propylthiouracil**
Hypothyroidism delays ischemia-induced contracture and adenine nucleotide depletion in rat myocardium, 649
- Prorenin**
Human neutrophils release serine proteases capable of activating prorenin, 595
- Prostaglandins**
L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534
- Protein dephosphorylation**
Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602
- Protein kinase C**
Mechanisms of vasoconstriction induced by 9, 11-epithio-11,12-methano-thromboxane A_2 in the rabbit coronary artery, 402
- Protein synthesis**
Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692
- Protein synthesis and degradation**
Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933
- Pulmonary circulation**
Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653
- Pulmonary edema**
Fluid reabsorption and glucose consumption in edematous rat lungs, 708
Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923
- Purinergic hypothesis**
Nonadrenergic neural vasodilator mechanisms, 309
- Purkinje-ventricular (muscle) junction**
Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580
- Pyruvate**
Effects of anoxia on kinetics of [^{15}N] glutamate and $^{13}NH_3$ metabolism in rabbit myocardium, 505

Q

Quail-chick chimeras

Analysis of cranial neural crest distribution in the developing heart using quail-chick chimeras, 27

Quantitation of autoregulation

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Quantitative autoradiography

Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Quin2

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Quin2 fluorescence

Abnormal calcium handling by platelets in thrombotic disorders, 346
Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

R

Rabbit aorta

Endothelium-dependent relaxation in experimental atherosclerosis in the rabbit, 251

Rabbit coronary artery

Mechanisms of vasoconstriction induced by 9, 11-epithio-11,12-methano-thromboxane A_2 in the rabbit coronary artery, 402

Rabbit thoracic aorta

Simultaneous measurement of force and calcium uptake during acetylcholine-induced endothelium-dependent relaxation of rabbit thoracic aorta, 31

Rabbit ventricular cells

Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14

Radioimmunoassay

Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108

Radioligand binding assays

Quantitative autoradiographic delineation of the distribution of β -adrenergic receptors in canine and feline left ventricular myocardium, 568

Radioligand binding studies

Association of decreased myocardial β -receptors and chronotropic response to isoproterenol and exercise in pigs following chronic dynamic exercise, 720

Characteristics of adrenoceptors and [3 H] nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Evidence for distinct calcium channel agonist and antagonist binding sites in intact cultured embryonic chick ventricular cells, 683

Radioligand binding techniques

Characteristics of adrenoceptors and [3 H] nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Rat heart

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Rat kidney

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Reactive hyperemia

α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631

Receptor-mediated endocytosis

Regulation of angiotensin II in rat adrenal gland, 640

Receptor translocation

Propranolol treatment externalizes β -adrenergic receptors in guinea pig myocardium and prevents further externalization by ischemia, 108

3-D Reconstruction

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Red cell

An examination of the measurement of flow heterogeneity in striated muscle, 1

Reentry

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Reflex control of upper airways

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Regional blood flow

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Regional hypercontraction

Pathogenesis of coronary artery spasm in miniature swine with regional intimal thickening after balloon denudation, 113

Regional myocardial blood flow

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Regional ventricular function

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Regional wall thickening

Mechanism of beneficial effect of β -adrenergic blockade on exercise-induced myocardial ischemia in conscious dogs, 738

Regulation of sarcolemmal processes

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

Relaxation

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Renal

Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398

Renal circulation

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Renal prostaglandin synthesis

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Renal vascular resistance

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Renin

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Renin-angiotensin system

Endothelial renin-angiotensin pathway: Evidence for intracellular synthesis and secretion of angiotensins, 422

Influences on the distribution of blood flow during cardiac tamponade in the conscious dog, 72

Regulation of angiotensin II in rat adrenal gland, 640

Renin release

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Reperfusion-induced injury

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Resistance-conductance model

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Respiratory failure

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

Right coronary circulation

Mechanism of attenuated pressure-flow autoregulation in right coronary circulation of dogs, 133

Rigor

Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756

mRNA

Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786

Myosin isozyme synthesis and mRNA levels in pressure-overloaded rabbit hearts, 692

RNA determination

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Rotenone

Inhibition of calcium influx in isolated adult rat heart cells by ATP depletion, 586

Ryanodine

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560

S**S1 nuclease mapping analysis**

Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804

Salbutamol

Catecholamine-induced myocardial potassium uptake mediated by β_1 -adrenoceptors and adenylate cyclase activation in the pig, 540

Saphenous vein

Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced 45 calcium efflux, 952

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Sarcolemma

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Sarcomere elongation

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Sarcoplasmic reticulum

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Effects of ryanodine and caffeine on contractility, membrane voltage, and calcium exchange in cultured heart cells, 495

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560

Scorpion-toxin-sensitive sodium channels

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Secondary inward current

Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14

Series elasticity

Dynamic stiffness measured in central segments of excised rabbit papillary muscles during barium contracture, 756

Serine proteases

Human neutrophils release serine proteases capable of activating prorenin, 595

Serotonergic innervation

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Serotonin

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Serotonin uptake

Glycolytic activity and enhancement of serotonin uptake by endothelial cells exposed to hypoxia/anoxia, 653

Shortening velocity

Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770

Simplified cable model

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: A simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Single-channel analysis

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single channel analysis, 897

Single-channel conductance

Whole-cell and single-channel calcium currents of isolated smooth muscle cells from saphenous vein, 523

Single perfused capillary

Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 304

Sinus cycle length

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Skinned fibers

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Skinned muscle cells

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Smooth muscle

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Phenylphosphonate: A ^{31}P -NMR indicator of extracellular pH and volume in the isolated perfused rabbit bladder, 472

Smooth muscle membrane

Relation between membrane potential and contractile force in smooth

muscle of the rat tail artery during stimulation by norepinephrine, 5-hydroxytryptamine, and potassium, 791

Sodium

Electron probe x-ray microanalysis of sarcolemma and junctional sarcoplasmic reticulum in rabbit papillary muscles: Low sodium-induced calcium alterations, 246

Sodium channels

Mechanisms of closure of cardiac sodium channels in rabbit ventricular myocytes: Single-channel analysis, 897

Sodium conductance

Propagating depolarization in anisotropic human and canine cardiac muscle. Apparent directional differences in membrane capacitance: a simplified model for selective directional effects of modifying the sodium conductance on V_{max} , τ_{foot} , and the propagation safety factor, 206

Sonomicrometry

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Spontaneously hypertensive rats

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487

Starvation-induced atrophy

Protein synthesis and degradation during starvation-induced cardiac atrophy in rabbits, 933

Stress

Contributions of intracellular and extracellular Ca^{2+} pools to activation of myosin phosphorylation and stress in swine carotid media, 410

Striated muscle

An examination of the measurement of flow heterogeneity in striated muscle, 1

Stroke volume

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Stunned myocardium

Disruption of myofibrillar energy use: Dual mechanisms that may contribute to postischemic dysfunction in stunned myocardium, 283

Subfragment-1

Biochemical kinetics of porcine cardiac subfragment-1, 39

Substance P

Nonadrenergic neural vasodilator mechanisms, 309

Superoxide production

Iloprost inhibits neutrophil function in vitro and in vivo and limits experimental infarct size in canine heart, 666

Sympathetic nerves

Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220

Sympathetic stimulation

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

T**T cell action potentials**

Characteristics of junctional regions between Purkinje and ventricular muscle cells of canine ventricular subendocardium, 580

Technique, biplane contrast angiography

Relation between myocardial perfusion and left ventricular function following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60

Technique, ion-exchange chromatography

Cardiac calmodulin-stimulated protein phosphatase: Purification and identification of specific sarcolemmal substrates, 602

Technique, microphotometric

Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384

Technique, multigated equilibrium radionuclide angiography

Relation between myocardial perfusion and left ventricular function

- following acute coronary occlusion: Disproportionate effects of anterior vs. inferior ischemia, 60
- Technique, radioimmunoassay**
 α_1 -Adrenergic activity regulates release of adenosine from the ischemic myocardium in dogs, 631
- Temperature**
 Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770
- Tension development**
 Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238
- Tension recording**
 Release of endothelium-derived relaxing factor from human umbilical vessels, 517
- Tension-time index**
 Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797
- Terbutaline**
 Fluid reabsorption and glucose consumption in edematous rat lungs, 708
- Tetraethylammonium ion**
 Maximal rates of activation in electrically stimulated swine carotid media, 438
- Tetrodotoxin effect on inward current**
 Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14
- Tetrodotoxin-sensitive vasoconstriction**
 Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831
- Thermal injury**
 Gas chromatographic-light microscopic correlative analysis of excimer laser photoablation of cardiovascular tissues: Evidence for a thermal mechanism, 429
- Thrombosis**
 In vivo characterization of synthetic thromboxane A_2 in canine myocardium, 290
- Thromboxane**
 L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534
- Thromboxane A_2 synthetic**
 In vivo characterization of synthetic thromboxane A_2 in canine myocardium, 290
- Thyroid function**
 Isozyme specific modification of myosin ATPase by cAMP in rat heart, 384
- Thyroid hormone**
 Effect of amiodarone on rat heart myosin isoenzymes, 621
 Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824
- Thyroid hormone regulation of gene expression**
 Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804
- Thyroid state**
 Influence of thyroid state on mechanical restitution of rat myocardium, 142
- Thyroxine**
 Changes in myosin isoenzymes, ATPase activity, and contraction duration in rat cardiac muscle with aging can be modulated by thyroxine, 238
 Dynamic stiffness of barium-contracted cardiac muscles with different speeds of contraction, 770
 Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824
- Tissue characterization**
 Quantitative ultrasonic characterization of the nature of atherosclerotic plaques in human aorta, 459
- Tissue distribution**
 Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart, 786
- Tissue morphometry**
 Morphometric analysis of cardiac hypertrophy during development, maturation, and senescence in spontaneously hypertensive rats, 487
- Tissue specific, developmental, and hormonal regulation**
 Developmental and hormonal regulation of sarcomeric myosin heavy chain gene family, 804
- Total mechanical energy**
 Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797
- Tracer**
 An examination of the measurement of flow heterogeneity in striated muscle, 1
- Tracheal tension**
 Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337
- Transcapillary fluid filtration**
 Increased capillary hydraulic conductivity induced by atrial natriuretic peptide, 304
- Transient outward current**
 Mechanism of increased amplitude and duration of the plateau with sudden shortening of diastolic intervals in rabbit ventricular cells, 14
- Transmembrane action potential**
 Influence of thyroid state on mechanical restitution of rat myocardium, 142
- Transmural nerve stimulation**
 Serotonin as an alternative transmitter in sympathetic nerves of large cerebral arteries of the rabbit, 220
- Transmural platinum-stimulating electrode**
 Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831
- Transmural pressure changes**
 Pressure-induced myogenic activation of cat cerebral arteries is dependent on intact endothelium, 102
- Transplanted heart**
 Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824
- Transverse inhomogeneity**
 Dynamic stiffness measured in central segment of excised rabbit papillary muscles during barium contracture, 756
- Triiodothyronine**
 Role of thyroid hormone in regulation of isomyosin composition, contractility, and size of heterotopically isografted rat heart, 824
- Tritiated thymidine**
 Centripetal spread of arterial collateral endothelial cell hyperplasia after renal artery stenosis in the rat, 398
- Twitch and developed force**
 Force, velocity, and power changes during normal and potentiated contractions of cat papillary muscle, 446
- TXA₂/PGH₂ receptor**
 Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced ⁴⁵calcium efflux, 952

U

U46619

Cultured human vascular smooth muscle cells with functional thromboxane A_2 receptors: Measurement of U46619 induced ⁴⁵calcium efflux, 952

Ultrasonic cardiac imaging

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Ultrasound

Quantitative ultrasonic characterization of the nature of atherosclerotic plaques in human aorta, 459

Umbilical vessels

Release of endothelium-derived relaxing factor from human umbilical vessels, 517

Unloaded ejection flow

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Uptake₁

Nonexocytotic release of endogenous noradrenaline in the ischemic and anoxic rat heart: Mechanism and metabolic requirements, 194

Use-dependence

Use-dependence of ryanodine effects on postrest contraction in ferret cardiac muscle, 560

V**V3 isomyosin**

Effect of amiodarone on rat heart myosin isoenzymes, 621

Vagal afferents

Vagal mediation of the effects of atrial natriuretic factor on blood pressure and arterial baroreflexes in the rabbit, 747

Vagus

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Vascular hypertrophy

Antihypertensive drug therapy prevents cerebral microvascular abnormalities in hypertensive rats, 229

Vascular permeability-surface area

Lung water and vascular permeability-surface area in premature newborn lambs with hyaline membrane disease, 923

Vascular renin angiotensin

Endothelial renin-angiotensin pathway: Evidence for intracellular synthesis and secretion of angiotensins, 422

Vascular response

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Vascular smooth muscle

Carotid sinus baroreceptors modulate tracheal smooth muscle tension in dogs, 337

Characteristics of adrenoceptors and [³H] nitrendipine receptors of porcine vascular smooth muscle: Differences between coronary artery and aorta, 837

Dissociation between calcium influx blockage and smooth muscle relaxation by nifedipine in spontaneously hypertensive rats, 367

Effects of procaine on pharmacomechanical coupling mechanisms activated by acetylcholine in smooth muscle cells of porcine coronary artery, 356

Endothelium-dependent modulation of cGMP levels and intrinsic smooth muscle tone in isolated bovine intrapulmonary artery and vein, 82

Laser-induced endothelial damage inhibits endothelium-dependent relaxation in the cerebral microcirculation of the mouse, 169

Maximal rates of activation in electrically stimulated swine carotid media, 438

Measurement by fluorescence of interstitial adenosine levels in normoxic, hypoxic, and ischemic perfused rat hearts, 177

Vasoactive intestinal peptide

Electrical stimulation of the endothelial surface of pressurized cat middle cerebral artery results in TTX-sensitive vasoconstriction, 831

Nonadrenergic neural vasodilator mechanisms, 309

Vasoactive substances

Characteristics of adrenoceptors and [³H] nitrendipine receptors of porcine vascular smooth muscle: differences between coronary artery and aorta, 837

Vasoconstriction

In vivo characterization of synthetic thromboxane A₂ in canine myocardium, 290

Vasoconstrictor effects

Cultured human vascular smooth muscle cells with functional thromboxane A₂ receptors: Measurement of U46619 induced ⁴⁵calcium efflux, 952

Vasodilation

Cardiovascular effects of calcitonin gene-related peptides I and II in man, 393

L-Platelet activating factor induces changes on renal vascular resistance, vascular reactivity, and renin release in the isolated perfused rat kidney, 534

Nonadrenergic neural vasodilator mechanisms, 309

Release of adenosine and cyclic AMP from coronary endothelium in isolated guinea pig hearts: Relation to coronary flow, 659

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Vasopressin

Evidence that bradykinin stimulates renal prostaglandin synthesis by a mechanism distinct from that of other vasoactive substances, 914

Myogenic vasoregulation overrides local metabolic control in resting rat skeletal muscle, 861

Venous endothelia

Venous and arterial endothelia: Different dilator abilities in dog vessels, 626

Ventricular contraction

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Ventricular diastasis

Finite element analysis of myocardial diastolic function using three-dimensional echocardiographic reconstructions: Application of a new method for study of acute ischemia in dogs, 674

Ventricular muscle

Effects of increasing intercellular resistance on transverse and longitudinal propagation in sheep epicardial muscle, 780

Ventricular overdistension

Relation between reversal of diastolic creep and recovery of systolic function after ischemic myocardial injury in conscious dog, 850

Ventricular pressure generation

Left ventricular internal resistance and unloaded ejection flow assessed from pressure-flow relations: A flow clamp study on isolated rabbit hearts, 727

Ventricular refractoriness

Changes in atrial and ventricular refractoriness and in atrioventricular nodal conduction produced by combinations of vagal and sympathetic responses that result in a constant spontaneous sinus cycle length, 942

Ventricular tachycardia

Endocardial, intramural, and epicardial activation patterns during sustained monomorphic ventricular tachycardia in late canine myocardial infarction, 879

Ventricular total force

Force-time integral decreases with ejection despite constant oxygen consumption and pressure-volume area in dog left ventricle, 797

Verapamil

Maximal rates of activation in electrically stimulated swine carotid media, 438

Video microscopy

Intestinal vasodilation by epoxyeicosatrienoic acids: Arachidonic acid metabolites produced by a cytochrome P450 monooxygenase, 50

Vinculin

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

Viscoelastic compliance

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Z**Zero-flow pressure**

Characterization of capacitance-free pressure-flow relations during single diastoles in dogs using an RC model with pressure-dependent parameters, 273

Z-line myofibril attachments

Cytoskeletal damage during myocardial ischemia: Changes in vinculin immunofluorescence staining during total in vitro ischemia in canine heart, 478

